



# CTBT: Science and Technology Conference 2023 - SnT2023

## Wednesday, 21 June 2023

**Lightning talks: P2.2, P3.2, P3.6 - Wintergarten (11:00 - 12:00)**

[id] title	presenter	board
[354] <b>Theoretical Signature of a Cavern Created by an Underground Nuclear Explosion in 2-D Exploration Seismic Data</b>	DE BASABE, Jonas	2
[467] <b>Resonance Seismometry: Search for Tiny Tot Underground Nuclear Explosion at Nevada Test Site</b>	Mr HÄFNER, Rolf	3
[576] <b>On-Site Inspection in Challenging Environments</b>	Mr KUANG, Feihong	5
[596] <b>Fire Detection in an On-Site Inspection Area</b>	Ms KHEKAN, Ahlam	6
[625] <b>Improvements in Methods and Chain of Custody for Measurements of Soil Gas Samples</b>	Dr OLSSON, Henrik	7
[855] <b>Innovation of the the Chain of Custody of Samples During On-Site Inspections</b>	Ms RIZZO, Antonietta	10
[163] <b>Automatic Xenon Calibration Generator</b>	Mr POPOV, Nikita	11
[220] <b>Radiation Monitoring of Territories Using Early Warning Systems</b>	Dr VLASENKO, Andrey	12
[233] <b>Study of Silver Exchanged Zeolite Stability for Noble Gas Processes</b>	Mr COURTNEY, Célian	13
[268] <b>RASA 2.0: A Next Generation Aerosol Sampler/Analyser</b>	Dr MILEY, Harry	15
[360] <b>Development and Validation of Coincidence Analysis/Quantification Software for Gamma-Gamma Coincidence Counting</b>	Mr SHARMA, Manish	17
[371] <b>Identifying the Most Sensitive Beta-Gamma Coincidence Detector System for Radioxenon Measurements at the Comprehensive Nuclear-Test-Ban Treaty Organization's Radionuclide Laboratories</b>	GOODWIN, Matthew	18
[382] <b>Development of a Modernized Radionuclide Laboratory System to Support the new Generation of International Monitoring Systems</b>	FOXÉ, Michael	19
[392] <b>Silicon Beta Cell Performance Improvements Using Silicon Photomultiplier Well Detectors for Beta-Gamma Radioxenon Systems</b>	SLACK, Johnathan	20
[463] <b>SEL63 – A xenon SAUNA lab System for Measurements of a High Diversity of Samples</b>	SODERSTROM, Catharina	22
[512] <b>A new Prototype Detection System Based on the Beta-Gamma Coincidence Technique for Radioxenon Measurement.</b>	Ms AZIMI, Sepideh Alsadat	23
[537] <b>Development of a Continuous Field Xenon Detection System</b>	JOHNSON, Christine	25
[599] <b>Advanced Spectroscopy in Support of Nuclear Explosion Monitoring</b>	JENKINS, Ayrton	26
[662] <b>Next Generation Particulate Monitoring</b>	Dr BRITTON, Richard	27
[746] <b>Advanced Electrostatic Precipitator (ESP) for Radionuclide Particle Collection as Part of Integration into RASA 2.0</b>	SWANWICK, Michael E.	28
[764] <b>Lowering the High Purity Germanium Background Measurement at the Italian ENEA Noble Gas Laboratory</b>	SALVI, Stefano	30
[779] <b>Comparison of Xe-127 Measurements</b>	Mr ROBINSON, Troy	31
[781] <b>SAUNA Qb - Performance of the National Radioxenon Array in Sweden</b>	Dr KARLKVIST, Lindsay	32

<b>[803] Xenon Collection and Purification from air in Three Types of Porous Materials</b>	GUEIBE, Christophe	33
<b>[829] A Small, Portable Electrostatic Precipitation Based Radio-Aerosol Monitor</b>	KEILLOR, Martin	34
<b>[843] Xenon International Acceptance Testing</b>	HAYES, James	35
<b>[877] Obtaining Enriched Argon from an Air Mixture by Pressure Swing Adsorption Method</b>	ALEXANDROV, Roman	37
<b>[884] Experimental and Numerical Study of Particle Size Manipulation for the Optimization of Particulate Monitoring Systems</b>	Mr KUTSHER, Kobi	38
<b>[66] Compilation of the Latest Evaluated Decay Data for the CTBT Relevant and Background Radionuclides for <math>\gamma</math> ray Spectrometry</b>	Mr YONEZAWA, Chushiro	39
<b>[95] A New Method for Analysing Daily Quality Control: Beta-Gamma Spectra for Checking Energy Calibration</b>	SIDOROV, Nikolay	40
<b>[99] Identical Mother and Daughter Radionuclides Related to CTBT for Improving the Detection of a Nuclear Event</b>	Ms AZIMKHANI, Sara	41
<b>[211] Radioxenon Uncertainty Model</b>	Dr COOPER, Matthew	42
<b>[274] Long Term Radioxenon Detector Background: First-year results</b>	Dr PEREA, Rose	43
<b>[372] Reconstructing Radioxenon Sources in a High Background Environment</b>	GOODWIN, Matthew	44
<b>[402] Comparison of Methods for Analysis of Radioxenon Beta-Gamma Coincidence Spectra Using MIKS Data</b>	SIDOROV, Nikolay	45
<b>[412] Investigating how SRS Fields can be used for Identifying Samples that may have Received Radioactivity from the Same Release Event as a Level 5 Sample</b>	Mr KIJIMA, Yuichi	46
<b>[414] Investigation on Sample Association Using Decay Consistency Analysis for Consecutive Level C Samples and Prior/Post Level B Samples</b>	Mr KIJIMA, Yuichi	47
<b>[421] Isotopic Ratio Distributions of Radioxenon at International Monitoring System Radionuclide Stations Using Emissions from Nuclear Facilities with Decay Correction Based on the Atmospheric Transport Time Distributions Between These Facilities and Stations</b>	Mr KIJIMA, Yuichi	48
<b>[453] Sensitivity Analysis of Activity Concentrations to Effective Sample Position in International Data Centre Products Using the Monte Carlo Simulation</b>	YOON, Seokryung	49
<b>[481] Developments Toward a Radionuclide Event Computational Pipeline</b>	Mr SCHROM, Brian	50
<b>[538] Neural-Network Based Isotope Estimation with Simultaneous Curve Fitting</b>	Dr POWERS-LUHN, J.R.	51
<b>[560] GRANDSim: A Geant4 Based Simulation Software for Detectors in use at CTBTO Radionuclide Particulate Systems</b>	GHEDDOU, Abdelhakim	52
<b>[608] Method Validation for Using the Best Fitting Parameters in Simulating the Source Term of Radioxenon Generated by Neutron Activation</b>	TAYYEBI, Pouneh	53
<b>[658] STAX Data Viewing Software</b>	AUER, Matthias	54
<b>[661] Development of a Radionuclide Expert Technical Analysis Software Based on Isotopic Ratios for Characterization of CTBT-Relevant Nuclear Events</b>	Mr LIU, Boxue	55
<b>[718] A Possible Statistical Approach to Address the Issue of Anomalous Values of Activity Concentrations</b>	Mr OTTAVIANO, Giuseppe	56
<b>[723] A Calibration Procedure of Beta-Gamma Coincidence Measurements in the International Monitoring System Network Using four Radioxenon Spikes</b>	Mr LIU, Boxue	57
<b>[740] Updated 2014 Radioxenon Observations at International Monitoring System Stations – Comparison with the 2014 Baseline</b>	GHEDDOU, Abdelhakim	58
<b>[886] Automatic Analysis of Two-Dimension Coincidence Spectra</b>	Mr PARADIS, Hugues	59