

S. Matos<sup>1</sup>, P. Campus<sup>2</sup>, M. Ripepe<sup>3</sup> and N. Wallenstein<sup>1</sup>

<sup>1</sup> Instituto de Investigação em Vulcanologia e Avaliação de Riscos (IVAR), Universidade dos Açores (UAc)

<sup>2</sup> CTBTO Preparatory Commission

<sup>3</sup> Dipartimento di Scienze della Terra, Università degli Studi di Firenze

- Our poster is about correlation of volcanic eruptions from the Global Volcanism Program (GVP) database with infrasound detections from the IMS network.
- **Why it matters:** volcanic infrasound confirms eruptive activity, improves hazard assessment, and strengthens global monitoring.
- **What we did:** designed and validated a detection algorithm, systematically applied to 69 eruptions (VEI > 3) from 46 volcanoes worldwide (2011–2020), using IMS data from 43 stations, and compared results with CTBTO/IDC bulletins.
- **Key results:** IMS detections show strong correlation with reported eruptions and with CTBTO/IDC bulletins (LEB, SEL3, REB).
- **Why it is fascinating:** infrasound travels long distances, even when a volcano is hidden by clouds or darkness, making it a powerful monitoring tool.

**Want to know more? Come and chat with us in front of the poster!**

