



ID: P2.3-591

Type: e-Poster

Integrated Study of Seismic and Infrasound for Detecting Non-Tectonic Earthquakes in Indonesia

Wednesday, 30 June 2021 09:15 (15 minutes)

Indonesia is in an earthquake prone area, not only tectonic earthquakes but also non-tectonic earthquakes. Non-tectonic earthquakes are unique, because they rarely happen. However, in the last decade there have been many non-tectonic earthquakes recorded by seismic sensors due to volcanic activity. Therefore, we need to validate the earthquakes, whether they are caused by tectonic or non-tectonic activity. To distinguish between these earthquakes, we need to integrate parameters between seismic and non-seismic (infrasound) measurement. Tectonic and non-tectonic earthquakes have different frequencies. Non-tectonic earthquakes are dominated by a low frequency and well detected by infrasound measurement, because Infrasound is an acoustic wave with very low frequency less than 20 Hz (~0.01 – 20 Hz).

Promotional text

Seismic and non-seismic (Infrasound) measurement is a good combination to detect and validate non-tectonic earthquake. By studying these parameters, we want to learn specific characteristic of non-tectonic earthquake to give early warning to the society.

Primary authors: Ms RATRI, Aldilla Damayanti Purnama (Indonesian Agency for Meteorology, Climatology and Geophysics (BMKG), Jakarta, Indonesia); Mr PERDANA, Yusuf Hadi (Indonesian Agency for Meteorology, Climatology and Geophysics (BMKG), Jakarta, Indonesia)

Presenter: Ms RATRI, Aldilla Damayanti Purnama (Indonesian Agency for Meteorology, Climatology and Geophysics (BMKG), Jakarta, Indonesia)

Session Classification: T2.3 e-poster session

Track Classification: Theme 2. Events and Nuclear Test Sites: T2.3 - Seismoacoustic Sources in Theory and Practice